



www.Gwedu-cation.com



IGO - EGD SIVIEL - VRAESTEL 1 EKSAMEN EN PAT HULPBRONNE EXAMINATION AND PAT RESOURCES		
GRAFIESE SIMBOLE - GRAPHICAL SYMBOLS		
EN ANDER SIVIELE KENMERKE AND OTHER CIVIL FEATURES		
SPOEL KLOSET WATER CLOSET		
STORT SHOWER		
BAD BATHTUB		
WAS TROG WASH TUB		
DUBBEL OPWASBAK DOUBLE WASH-UP BASIN		
ENKL OPWASBAK SINGLE WASH-UP BASIN		

IGO - EGD EKSAMEN EN PAT HULPBRONNE EXAMINATION AND PAT RESOURCES		
VLOERPLAN - FLOORPLAN SNIET-AANSIG - SECTIONAL VIEW		
WASBAK BASIN		
BLAD TIEPE SLAB TYPE URINAAL URINAL		
STAL TIEPE STALL TYPE BIDET BIDET		
MUUR-GEMONTEERDE URINAAL WALL MOUNTED URINAL		
TRAPPE STAIRS		
OPRIT RAMP		

IGO - EGD SIVIEL - VRAESTEL 1 EKSAMEN EN PAT HULPBRONNE EXAMINATION AND PAT RESOURCES	
EN ANDER SIVIELE KENMERKE AND OTHER CIVIL FEATURES	
ARCHWAY ON FLOORPLAN	
BOOG DEURGANG OP VLOERPLAN	
VENSTER MET VENSTERBANK WINDOW WITH WINDOW SILL	
VENSTER SONDER VENSTERBANK WINDOW WITHOUT WINDOW SILL	
SKUIFDEUR / SLIDING DOOR	
VOU DEUR / FOLDING DOOR	

IGO - EGD SIVIEL - VRAESTEL 1 EKSAMEN EN PAT HULPBRONNE EXAMINATION AND PAT RESOURCES	
LYN TIEPE LINE TYPE	
IC - INSPEKSIIE KLOSET (CHAMBER)	
IK - INSPEKSIIE KAMER	
MH - MAN HOLE	
MG - MANGAT	
RE - RODDING EYE	
SO - STEEK OOG	
IE - INSPEKSIIE OOG	
IO - INSPEKSIIE OOG	

DAKNOTAS:
DAKHELLING 20°

115 x 38 mm DAKKAPPE OP 115 x 38 mm MURPLATE

DAKOORHANG 350 mm TOT KANT VAN DIE DAKKAPPE

DAKBEDEKING 15 mm VESELEMENTPLAAT OP 75 x 50 mm DAKLATTE @ 1000 mm s/s

220 x 20 mm FASSIEPLANK OP ALLE KANTE EN 300 x 75 mm WINDVEER OP GEWELKANTE

150 x 100 mm GEUTE AAN ALLE KANTE

9 mm PLAFONBORD OP 38 x 38 mm PLAFONLATTE @ 450 mm s/s

ROOF NOTES:
ROOF PITCH 20°

115 x 38 mm ROOF TRUSSES ON 115 x 38 mm WALL PLATES





ROOF OVERHANG 350 mm TO END OF ROOF TRUSSES

ROOF COVER 15 mm FIBRE CEMENT SHEETING ON 75 x 50 mm PURLINS @ 1000 mm c/c

220 x 20 mm FASCIA BOARD ON ALL SIDES AND 300 x 75 mm BARGE BOARD ON GABLED ENDS

150 x 100 mm GUTTERS ON ALL SIDES


9 mm CEILING BOARD ON 38 x 38 mm BRANDING STRIPS @ 450 mm c/c




ELEKTRIESE SIMBOLE KAN HOË KWALITEIT VRYHAND WEES ELECTRICAL SYMBOLS MAY BE OF HIGH QUALITY FREE-HAND	
EENRIGTING ONE WAY	
LIÏSKAKELAAR - ENKEL-POOL LIGHT SWITCH - SINGLE POLE	
EENRIGTING ONE WAY	
LIÏSKAKELAAR - DUBBEL-POOL LIGHT SWITCH - DOUBLE POLE	
EENRIGTING ONE WAY	
LIÏSKAKELAAR - DRIE POOL LIGHT SWITCH - TRIPPLE POLE	
EENRIGTING ONE WAY	
DOPPEL LIÏSKAKELAAR / GEREULEERDE SKAKELAAR DAMP LIGHT SWITCH / REGULATED SWITCH	
TWEE RIGTING SKAKELAAR TWO-WAY SWITCH	
VERDELER BORD DISTRIBUTION BOX	

COLOURS / KLEURE op SITE PLANS / TERREIN PLANNE	
NEW PROPOSED WORK (Red) NUWE VOORGESTELDE WERK	
EXISTING WORK (Black) BESTAANDE WERK	
WORK TO BE DEMOLISHED (Dashed) SLOOP/ VERWYDERING VAN WERK	

SKAKELAAR KRAGPUNT / MUURSOK SWITCHED SOCKET OUTLET		WRONG
KRAGPUNT / MUURSOK SOCKET OUTLET		WRONG
MUUR GEMONTEERDE LIÏG WALL-MOUNTED LIGHT		WRONG
NOODLIÏG EMERGENCY LIGHT		WRONG



Opp. en Omtrek berekeninge Area and Perimeter calculations		
HERSIEN REVISION	DATUM DATE	BESKRYWING DESCRIPTION
TEKENING TITEL: IGO PAT 2024 DRAWING TITEL: EGD PAT 2024		
PROJEK: PROJECT: NUWE VOORGESTELDE VLOERPLAN... PROPOSED NEW FLOORPLAN...		
SKAAL: SCALE:	GEDRUK DEUR PRINTED BY:	DALK DORTRE DATE:
PROJEK NUMMER: PAT 2024-0001 PROJECT NUMBER: PAT 2024-0001	TREKING NUMMER: DRAWING NUMBER:	E.E.C.:
DATUM DATE:	GETEKEN DEUR DRAWN BY:	DATUM DATE:
VERWYSINGS KODE: Your voorletters en datum REFERENCE CODE: Your initials and date		HERSIEN DEUR CHECKED BY:



VERWYSINGS / REFERENCES

Department of Basic Education. 2011. *Engineering Graphics & Design: Further Education Training Grades 10 - 12. Curriculum Assessment Policy Statement.* Pretoria: Department of Education.

Du Plooy, D. & Van Lœuwen, J. 2017. *Engineering Graphics and Design, Mind Action Series.* Allcopy. Sanlamhof.

Engelbrecht, J. 2017. *Engineering Graphics and Design, HSE cc.*

South African National Standards. 1980. *Building Drawing Practice.* Pretoria: SANS.